

| Ref # | Hits | Search Query  | DBs   | Default Operator | Plurals | Time Stamp       |
|-------|------|---|---|------------------|---------|------------------|
| L1    | 1972 | (creat\$5 test\$5 evaluat\$5) near4 (mirror duplicat\$5 copy) near4 (process procedure routine subroutine program)  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2005/05/09 10:46 |
| L2    | 4    | (test\$5 evaluat\$5) adj (mirror duplicat\$5 copy) adj (process procedure routine subroutine program)   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2005/05/09 10:46 |
| L3    | 762  | (creat\$5 test\$5 evaluat\$5) near4 (mirror duplicat\$5) near4 (process procedure routine subroutine program)   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2005/05/09 10:47 |
| L4    | 11   | (test\$5 evaluat\$5) adj2(mirror duplicat\$5) adj2 (process procedure routine subroutine program)   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2005/05/09 10:50 |
| L5    | 77   | (test\$5 evaluat\$5) adj2(remov\$5) adj2 (process procedure routine subroutine program)   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2005/05/09 10:51 |
| L6    | 6126 | (mirror duplicat\$5) adj2 (process procedure routine subroutine program)  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2005/05/09 10:50 |
| L7    | 2018 | (mirror) adj2 (process procedure routine subroutine program)  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2005/05/09 11:05 |
| L8    | 0    | L5 and L7   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2005/05/09 10:51 |
| L9    | 47   | L7 and (test\$5 evaluat\$5) adj2 (process procedure routine subroutine program)   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2005/05/09 10:56 |
| L10   | 73   | (fault adj tolerant) same ((distributed) near3 (Process\$5 comput\$6 system))and (test\$5 evaluat\$5) adj2 (process procedure routine subroutine program) | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2005/05/09 10:58 |
| L11   | 0    | (mirror) adj2 (process procedure routine subroutine program) and L10  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2005/05/09 10:58 |

|     |      |  |   |    |     |                  |
|-----|------|--|---|----|-----|------------------|
| L12 | 73   | ((fault adj tolerant) same ((distributed) near3 (Process\$5 comput\$6 system))and L10  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2005/05/09 11:00 |
| L13 | 1    | ((fault adj tolerant) same ((distributed) near3 (Process\$5 comput\$6 system))and L7   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2005/05/09 10:59 |
| L14 | 1848 | (mirror) adj2 (process procedure)  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2005/05/09 11:54 |
| L15 | 6    | (test\$5 evaluat\$5) adj2 (mirror) adj2 (process procedure)  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2005/05/09 11:03 |
| L16 | 109  | ((mirror) adj2 (process procedure)).ti.  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2005/05/09 11:05 |
| L17 | 0    | "714".ccls. and (mirror) adj2 (process procedure)  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2005/05/09 11:54 |
| S1  | 2    | "6035415".pn.  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB           | OR | OFF | 2004/09/14 14:26 |
| S2  | 2    | "6023772".pn.  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB           | OR | OFF | 2004/09/14 14:27 |
| S3  | 0    | ((remov\$5 replac\$5 add\$6 suppliment\$5 redundan\$6) near5 (process application program)) and ((distributed) near3 (Process\$5 comput\$6)) | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB           | OR | ON  | 2004/12/01 13:31 |
| S4  | 0    | ((fault adj tolerant) same ((distributed) near3 (Process\$5 comput\$6))  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB           | OR | ON  | 2004/09/14 14:33 |
| S5  | 0    | ((fault adj tolerant) same ((distributed) near3 (Process\$5 comput\$6 system))   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB           | OR | ON  | 2004/09/14 14:34 |
| S6  | 774  | ((fault adj tolerant) same ((distributed) near3 (Process\$5 comput\$6 system))   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB           | OR | ON  | 2005/05/09 10:56 |

|     |      |  |   |    |    |                  |
|-----|------|--|---|----|----|------------------|
| S7  | 504  | ((fault adj tolerant) same ((distributed) adj (Process\$5 comput\$6 system)))  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2004/09/14 14:35 |
| S8  | 410  | ((fault adj tolerant) same ((distributed) near3 (Process\$5 comput\$6 system))) and ((remov\$5 replac\$5 add\$6 suppliment\$5 redundan\$6) near5 (process application program))                                      | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2004/09/14 14:36 |
| S9  | 518  | ((fault adj tolerant) same ((distributed) near3 (Process\$5 comput\$6 system))) and ((remov\$5 replac\$5 add\$6 suppliment\$5 redundan\$6) near5 (process application program host node component))                  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2004/09/14 14:43 |
| S10 | 4    | ((fault adj tolerant) same ((distributed) near3 (Process\$5 comput\$6 system))) and ((atomic) near5 ((remov\$5 replac\$5 add\$6 suppliment\$5 redundan\$6) near5 (process application program host node component))) | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2004/09/14 14:42 |
| S11 | 2    | ((fault adj tolerant) same ((distributed) near3 (Process\$5 comput\$6 system))) and ((atomic) near5 ((remov\$5 replac\$5 add\$6 suppliment\$5 redundan\$6) near5 (application program host node component)))         | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2004/09/14 14:43 |
| S12 | 310  | ((fault adj tolerant) same ((distributed) near3 (Process\$5 comput\$6 system))) and ((remov\$5 replac\$5 add\$6 suppliment\$5 redundan\$6) near5 (process))  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2004/09/14 14:44 |
| S13 | 34   | ((fault adj tolerant) same ((distributed) near3 (Process\$5 comput\$6 system))) and ((suppliment\$5 redundan\$6) near5 (process))  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2004/09/14 14:44 |
| S14 | 18   | ((fault adj tolerant) same ((distributed) near3 (Process\$5 comput\$6 system))) and (((remov\$5 replac\$5 add\$6 creat\$5) near5 (process)) same ((creat\$5 add\$6) near10 (mirror copy)))                           | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2004/09/14 15:19 |
| S15 | 19   | ((fault adj tolerant) same ((distributed) near3 (Process\$5 comput\$6 system))) and (((remov\$5 replac\$5 add\$6 creat\$5) near5 (process)) same ((creat\$5 add\$6) near10 (mirror copy)))                           | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2004/09/14 15:24 |
| S16 | 1    | ((fault adj tolerant) same ((distributed) near3 (Process\$5 comput\$6 system))) and (((remov\$5 replac\$5 add\$6 creat\$5) near5 (process)) same ((creat\$5 add\$6) near10 (mirror)))                                | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2004/09/14 15:26 |
| S17 | 4    | ((atomic) near5 (creat\$5 add\$6 replac\$5 generat\$5) near10 (mirror copy)) same (process\$5)   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2004/11/10 15:58 |
| S18 | 4265 | (creat\$5 add\$6 replac\$5 generat\$5 launch\$5) near10 (mirror copy) near10 (process)   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2004/12/01 15:50 |
| S19 | 1023 | (creat\$5 add\$6 replac\$5 generat\$5 launch\$5) near3 (mirror copy) near3 (process)   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2004/09/14 15:33 |

|     |     |   |   |    |    |                  |
|-----|-----|---|---|----|----|------------------|
| S20 | 2   | ((maintain\$5 continu\$5) near3 (fault adj tolerance)) and (creat\$5 add\$6 replac\$5 generat\$5 launch\$5) near3 (mirror copy) near3 (process)                 | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2004/12/01 14:15 |
| S21 | 0   | (test\$5 vot\$5) same (add\$6 replac\$5 launch\$5) near3 (mirror) near3 (process)   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2004/09/14 15:37 |
| S22 | 306 | ((fault adj tolerant) same ((distributed) near3 (Process\$5 comput\$6 system))) and ((remov\$5 replac\$5 add\$6 launch\$5) near5 (process))                     | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2004/09/14 15:38 |
| S23 | 15  | ((fault adj tolerant) same ((distributed) near3 (Process\$5 comput\$6 system))) and ((launch\$5) near5 (process))   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2004/09/14 15:38 |
| S24 | 297 | ((fault adj tolerant) same ((distributed) near3 (Process\$5 comput\$6 system))) and ((remov\$5 replac\$5 add\$6) near5 (process))                               | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2004/09/15 10:08 |
| S25 | 27  | "719"/\$.ccls. and ((fault adj tolerant) same ((distributed) near3 (Process\$5 comput\$6 system))) and ((remov\$5 replac\$5 add\$6) near5 (process))            | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2004/09/15 10:11 |
| S26 | 32  | 709/201,240,223,239.ccls. and ((fault adj tolerant) same ((distributed) near3 (Process\$5 comput\$6 system))) and ((remov\$5 replac\$5 add\$6) near5 (process)) | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2004/09/15 10:13 |
| S27 | 99  | "709"/\$.ccls. and ((fault adj tolerant) same ((distributed) near3 (Process\$5 comput\$6 system))) and ((remov\$5 replac\$5 add\$6) near5 (process))            | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2004/09/15 10:21 |
| S28 | 106 | "714"/\$.ccls. and ((fault adj tolerant) same ((distributed) near3 (Process\$5 comput\$6 system))) and ((remov\$5 replac\$5 add\$6) near5 (process))            | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2004/12/01 15:53 |
| S29 | 2   | (creat\$5 add\$6 replac\$5 generat\$5 launch\$5) adj (mirror) adj (process)   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2004/09/15 10:28 |
| S30 | 0   | ((remov\$5 replac\$5 add\$6) near5 (process)) and ((distributed) near3 (Process\$5 comput\$6))  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2004/09/15 12:51 |
| S31 | 0   | (atomic) near5 (recover\$5) same ((remov\$5 replac\$5 add\$6) near5 (process)) and ((distributed) near3 (Process\$5 comput\$6))                                 | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2004/11/10 15:59 |
| S32 | 2   | "6016505".pn.   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2004/09/15 13:08 |

|     |     |   |   |    |    |                  |
|-----|-----|---|---|----|----|------------------|
| S33 | 0   | (add\$6 replac\$5 generat\$5 launch\$5) near10 (mirror) near10 (probationary adj process)   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2004/09/15 14:25 |
| S34 | 274 | (replac\$5) near10 (failed) near10 (process)  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2004/09/15 14:26 |
| S35 | 122 | (replac\$5) adj (failed) near10 (process)   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2004/09/15 14:26 |
| S36 | 8   | ((replac\$5) near10 (failed) near10 (process)) and (mirror same state)  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2004/09/15 15:17 |
| S37 | 0   | (09/862941) and (flood)   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2004/09/15 15:17 |
| S38 | 2   | "6016505".pn  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2004/11/10 15:58 |
| S39 | 0   | (system) near3 (redunda\$5) same ((remov\$5 replac\$5 add\$6) near5 (mirror)near5 (process)) and ((distributed) near3 (Process\$5 comput\$6)) | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2004/11/10 16:01 |
| S40 | 0   | (remov\$5 replac\$5 add\$6) near5 (mirror) and ((distributed) near3 (Process\$5 comput\$6))   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2004/11/10 16:41 |
| S41 | 0   | (creat\$5 generat\$5) near5 (mirror) and ((distributed) near3 (Process\$5 comput\$6))   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2004/11/10 16:02 |
| S42 | 0   | (creat\$5 generat\$5) near5 (mirror redundan\$5) near10 (process) and ((distributed) near3 (Process\$5 comput\$6))                            | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2004/11/10 16:03 |
| S43 | 0   | (creat\$5 generat\$5) near5 (mirror redundan\$5) near10 (memeber) and ((distributed) near3 (Process\$5 comput\$6))                            | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2004/12/01 14:17 |
| S44 | 0   | (mirror redundan\$5) near10 (process) and ((distributed) near3 (Process\$5 comput\$6))  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2004/11/10 16:15 |
| S45 | 0   | (mirror) adj (process\$5) and ((distributed) near3 (Process\$5 comput\$6))  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2004/11/10 16:14 |

|     |      |   |   |    |    |                  |
|-----|------|---|---|----|----|------------------|
| S46 | 3101 | (mirrors) and ((distributed) near3 (Process\$5 comput\$6))  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2004/11/10 16:15 |
| S47 | 978  | (mirror redundan\$5) near10 (process) and ((distributed) near3 (Process\$5 comput\$6))  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2004/11/10 16:15 |
| S48 | 76   | (mirror redundan\$5) adj (process) and ((distributed) near3 (Process\$5 comput\$6))   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2004/11/10 16:15 |
| S49 | 31   | (remov\$5 replac\$5 add\$6) near5 (mirror)near5 (program process function) and ((distribut\$5) near3 (Process\$5 comput\$6))                      | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2004/11/10 16:43 |
| S50 | 13   | (remov\$5 replac\$5 restor\$5) near5 (mirror)near5 (program process function) and ((distribut\$5) near3 (Process\$5 comput\$6))                   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2004/11/10 16:50 |
| S51 | 3    | (recover\$5 replac\$5 restor\$5) near5 (fail\$5) near4 (mirror)near5 (program process function) and ((distribut\$5) near3 (Process\$5 comput\$6)) | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2004/11/10 16:48 |
| S52 | 51   | (mirror) near5 (replac\$5) near10 (process)   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2004/12/01 13:40 |
| S53 | 37   | (fail\$5) near5 (mirror) near5 (process)  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2004/12/01 13:46 |
| S54 | 7707 | (mirror) near5 (process)  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2004/12/01 13:48 |
| S55 | 309  | (mirror) near5 (process) and (single double) near5 (view)   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2004/12/01 13:57 |
| S56 | 7    | (mirror) near5 (process) same (single double) near5 (view)  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2004/12/01 13:49 |
| S57 | 460  | (mirror) near5 (process\$5) and (single) near5 (view)   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2004/12/01 13:50 |
| S58 | 114  | (redundan\$5) near5 (process) and (single double) near5 (view)  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2004/12/01 14:10 |

|     |     |   |   |    |    |                  |
|-----|-----|---|---|----|----|------------------|
| S59 | 0   | (fail\$5 replac\$5) near7 (redundan\$5) near5 (process) same (single double) near5 (view)                         | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2004/12/01 14:14 |
| S60 | 4   | (fail\$5 replac\$5) near7 (redundan\$5) near5 (process) and (single double) near5 (view)                          | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2004/12/01 14:00 |
| S61 | 24  | ( snapshot\$5) near5 (process) and (single double) near5 (view)   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2004/12/01 14:13 |
| S62 | 213 | (duplicat\$5) near5 (process) and (single double) near5 (view)  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2004/12/01 14:13 |
| S63 | 0   | (fail\$5 replac\$5) near7 (duplicat\$5\$5) near5 (process) same (single double) near5 (view)                      | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2004/12/01 14:14 |
| S64 | 2   | "6216150".pn  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2004/12/01 14:16 |
| S65 | 0   | (creat\$5 generat\$5) near5 (mirror redundan\$5) near10 (member) and ((distributed) near3 (Process\$5 comput\$6)) | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2004/12/02 06:55 |
| S66 | 0   | (mirror redundan\$5) near10 (member) and ((distributed) near3 (Process\$5 comput\$6))                             | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2004/12/01 14:17 |
| S67 | 0   | (mirror redundan\$5 probation\$5) near10 (member) and ((distributed) near3 (Process\$5 comput\$6))                | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2004/12/01 14:19 |
| S68 | 0   | (probation\$5) near10 (member) and ((distributed) near3 (Process\$5 comput\$6))                                   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2004/12/01 14:18 |
| S69 | 7   | (probation\$5) near10 (member) and ((distributed) near3 (Process\$5 comput\$6))                                   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2004/12/01 14:18 |
| S70 | 133 | (mirror redundan\$5 probation\$5) near10 (member) and ((distributed) near3 (Process\$5 comput\$6))                | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2004/12/01 15:48 |
| S71 | 127 | (mirror redundan\$5) near10 (member) and ((distributed) near3 (Process\$5 comput\$6))                             | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2004/12/01 14:56 |



|     |     |  |   |    |    |                  |
|-----|-----|--|---|----|----|------------------|
| S72 | 101 | "714"/\$.ccls. and (((mirror redundan\$5 duplicat\$5 cop\$5) near3 (process server array)).ti.)  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2004/12/01 15:34 |
| S73 | 0   | "714"/\$.ccls. and ((mirror) near3 (process)) and (hot adj state)  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2004/12/01 15:47 |
| S74 | 7   | (hot adj state) and (single adj view)  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2004/12/01 15:48 |
| S75 | 0   | (mirror redundan\$5 probation\$5) near10 (member) and ((distributed) near3 (Process\$5 comput\$6)) and (hot adj state)   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2004/12/01 15:48 |
| S76 | 0   | (fault adj tolerant) same ((distributed) near3 (Process\$5 comput\$6 system)) and (hot adj state)  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2004/12/01 15:50 |
| S77 | 0   | (creat\$5 add\$6 replac\$5 generat\$5 launch\$5) near10 (mirror copy) near10 (process) and (hot adj state)   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2004/12/01 15:50 |
| S78 | 0   | "714"/\$.ccls. and ((fault adj tolerant) same ((distributed) near3 (Process\$5 comput\$6 system))) and ((remov\$5 replac\$5 add\$6) near5 (process)) and (hot adj state) | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2004/12/01 16:41 |
| S79 | 2   | "6016505".pn   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2004/12/01 16:42 |
| S80 | 0   | (add\$5) near5 (mirror redundan\$5) near10 (member) and ((distributed) near3 (Process\$5 comput\$6))   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2004/12/02 06:56 |
| S81 | 5   | (add\$5) near5 (mirror redundan\$5) near10 (member) and ((distributed) near3 (Process\$5 comput\$6))   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2004/12/02 06:58 |
| S82 | 27  | (add\$5) near5 (mirror redundan\$5) near10 (process) and ((distributed) near3 (Process\$5 comput\$6))  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2004/12/02 08:02 |
| S83 | 81  | (determin\$5 detect\$5 find\$5) near5 (mirror redundan\$5) near10 (process) and ((distributed) near3 (Process\$5 comput\$6))   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2004/12/02 08:04 |